



PL
Powerline Genetics
GROWTH, CARCASS & EFFICIENCY

Powerline Beef Genetics

Presents the annual
New Mexico Bull Sale
Sat. January 28, 2017

Located at
V4 Land & Cattle
119 Cain Rd
Logan, NM 88246
7 miles N. Hwy 39
1 mile E on Cain Rd.
Sale Time 1:00
Sale Day Contacts

Benton Cain 575-487-2371
Pat Riley 575-207-7657

Powerline Office 308-962-5604
e-mail: dan.dorn@genusplc.com
nancy.holliday@genusplc.com
www.powerlinegenetics.com

Fall Sale Terms and Conditions

TERMS: Terms of the sale are cash or check payable immediately upon conclusion of the sale and before animals will be removed. Bulls need to be taken sale day unless other arrangements have been made.

RISK: Each animal becomes the risk of the purchaser as soon as sold. Animals purchased are at the purchaser's risk as to loss or injury, and will be loaded according to purchaser's direction. Insurance will be available.

TRUCKING: We encourage everyone to travel as convenient as possible. We will make every effort to assist with trucking arrangements.

GUARANTEE: All bulls have been scrotal measured and fertility tested (BSE) by Powerline Genetics' veterinarian. Should any bull fail to breed cows, the matter shall be reported to the seller within six months following sale. The bull will then be returned to the seller who has the right to prove the bull a breeder. If the bull proves to be a non-breeder, the seller will return purchase price or replace the animal with another of equal value in full settlement and satisfaction. In no event shall seller bear responsibility for more than the purchase price. If a bull becomes a non-breeder by reason of injury, negligence or mismanagement, the seller's guarantee shall be void.

ANNOUNCEMENT: Announcements from the auction block will take precedence over statements in catalog.

LIABILITY: Owners nor sale management assume no liability for any accidents that may occur to the animal after it is sold. All persons who attend the sale do so at their own risk and owners or sale personnel assume no liability for accidents.

LAMNESS/SOUNDNESS GUARANTEE: All bulls have been monitored and examined periodically throughout the growth and development process. Should any bull become lame or physically unsound, the matter shall be reported to the seller immediately or within 30 days of delivery. The bull will then be returned to the seller who has the right to prove the bull as lame. If the bull proves to be lame, the seller will return purchase price, credit the purchase price or replace the animal with another of equal value in full settlement and satisfaction. In no event shall seller bear responsibility for more than the purchase price. If a bull becomes lame by reason of injury, negligence or mismanagement, the seller's guarantee shall be void.

Semen Interest: Powerline Bulls may only be used for natural service with animals owned or leased by you. All other uses of Powerline Bulls are strictly prohibited without the prior written consent of ABS, including (without limitation) semen collection, genotyping, or use in or for research and development.

FIRST BREEDING SEASON INSURANCE MORTALITY AND LOSS OF USE COVERAGE

Powerline Genetics Co. has arranged to make **Insurance** available for the first breeding season for all bulls sold in our spring 2017 bull sales. The coverage will provide traditional **Full Mortality** coverage for death from all natural and accidental causes including life-threatening injuries. The coverage has been extended to include **Loss of Use** for the first breeding season.

The coverage will be available sale day for those who choose to insure their bulls. The policy will insure Full Mortality of the bulls from the date of sale until **September 1, 2017**. All mortality claims will require a veterinarian's examination. Under the Loss of Use extension of coverage, the bull's inability to naturally service cows must be diagnosed by a veterinarian and immediately report to Powerline Genetics Co. A claim shall occur if after fourteen continuous days following the date of diagnosis and first report, the bull cannot be returned to natural service. **Loss of Use Claims will be settled at 80% of the purchase price until July 15, 2017 and 60% of purchase price from July 16, 2017 until September 1, 2017.**

The cost of the coverage is 10% of the purchase price of each bull. Powerline Genetics Co. will pay 5% of the purchase price or one-half the cost of the coverage. Thus, the cost of coverage to each buyer will be 5% of the purchase price. This amount will be added to the cost of your bulls at settlement if the insurance is requested.

Buyers who do not request this coverage sale day **will not** have Loss of Use Coverage available at a later date. To be eligible for Loss of Use Coverage, a bull must have been determined to be a sound breeder by passing a breeding soundness evaluation as outlined by the Society for Theriogenology.

Salvage, if any, belongs to Powerline Genetics Co. Injured bulls shall be returned to Powerline Genetics Bull Test Center or Powerline Genetics Marketing Specialist before settlement can be made. Applicable settlement will be made after any salvage value has been determined and applied to the applicable settlement. Settlement can be check or credit towards another Powerline Genetics sale.

INSURANCE: Absolutely No Insurance Claim Paid without paid premium.

Powerline Bulls may only be used for natural service with animals owned or leased by you. All other uses of Powerline Bulls are strictly prohibited without the prior written consent of ABS, including (without limitation) semen collection, genotyping, or use in or for research and development.

Visual Tag	Sire Name	Dams Sire Name	Calving Ease Stars	Growth Stars	Feed Intake Stars	Carcass Yield Stars	Carcass Quality Stars	Scrotal
15-016	K C F BENNETT ABSOLUTE	HOOKS TRINITY 9T	****	****		****	****	35
15-020	K C F BENNETT ABSOLUTE	HOOKS SHEAR FORCE 38K	***	****		****	****	36
15-031	HOOK'S WINSTON 23W	4 POINT 8 OF IRONWOOD	***	****		****	****	46
15-033	SRS RIGHT-ON 22R	4 POINT 8 OF IRONWOOD		****		****	****	42
15-042	GW PREMIUM BEEF 021TS	LEACHMAN INSTIGATOR S406W	****	****	****	****	****	38
15-043	SRS RIGHT-ON 22R	4 POINT 8 OF IRONWOOD		****		****	****	42
15-045	SRS RIGHT-ON 22R	4 POINT 8 OF IRONWOOD		****		****	****	40
15-047	YON FUTURE FOCUS T219	SUMMITCREST DARTH 0W21		****		***	****	38
15-063	HOOKS TRINITY 9T	IRONWOOD 4P8 701 4333	****	****	***	****	****	40
15-065	HOOKS TRINITY 9T	IRONWOOD 4P8 701 4333	****	****		****	****	38
15-067	LCC NEW STANDARD	IRONWOOD 4333 9399 8329	****	****	****	****	****	41
15-070	HOOK'S WINSTON 23W	NICHOLS EXTRA K205	***	****		***	****	45
15-071	HOOK'S WINSTON 23W	NICHOLS EXTRA K205		****		***	****	38
15-072	LCC NEW STANDARD	IRONWOOD 4333 9399 8329	****	****	***	****	****	40
15-073	HOOKS TRINITY 9T	IRONWOOD 4P8 701 4333	****	***	****	****	****	38
15-097	SRS RIGHT-ON 22R	4 POINT 8 OF IRONWOOD		****	***	****	****	33
16-502	K C F BENNETT ABSOLUTE	SAND RANCH HAND	****	****	***	****	****	42
16-505	K C F BENNETT ABSOLUTE	NICHOLS MANIFEST T79	****	****		***	****	37
16-507	K C F BENNETT ABSOLUTE	ELLINGSON LEGACY M229	***	****		****	****	41
16-508	K C F BENNETT ABSOLUTE		****	***	****		****	38
16-510	K C F BENNETT ABSOLUTE	U8412	****	****		****	****	39
16-546	S A V BRUISER 9164		***	****			****	36
16-548	S A V BRUISER 9164		***	****		***	****	35
16-551	CONNEALY COUNSELOR	TRAXS VELOCITY Y7	****	****		****	****	36
16-567	GAR-EGL PROTEGE	SS EBONYS PREMIUM BLEND	***	****		****	****	39
16-568	GAR-EGL PROTEGE	PG POWER ON 7-0389		****		***	****	33
16-576	GAR-EGL PROTEGE		***	****		***	****	39
16-591	SCHIEFELBEIN PROTOCOL 392	TNT DUAL FOCUS T249	***	****			****	44
16-592	SCHIEFELBEIN PROTOCOL 392	SAND RANCH HAND	***	****		***	****	35
16-607	QUAKER HILL RAMPAGE 0A36		****	****		****	****	39
16-614	V A R RESERVE 1111	TNT DUAL FOCUS T249	***	****		****	****	40
16-636	R B TOUR OF DUTY 177	SAND RANCH HAND		****		****	****	39
16-640	R B TOUR OF DUTY 177	PG POWER ON 7-0389		****	***	***	***	33
16-643	R B TOUR OF DUTY 177	MR ISHEE CATALYST		****		****	****	40
16-644	R B TOUR OF DUTY 177	PL 9-0163 (DREAM ON)	***	****		***	****	39
16-646	R B TOUR OF DUTY 177	TJ SHARPER IMAGE 809U	***	****		***	****	39
16-650	R B TOUR OF DUTY 177	PG3-0297		***	****		****	34
16-652	R B TOUR OF DUTY 177	WSJ ENCORE		****		****	****	40
16-653	R B TOUR OF DUTY 177		***	***	***	***	***	38
16-660	EXAR UPSHOT 0562B			****		****	****	38
16-661	EXAR UPSHOT 0562B			****		****	****	40
16-663	EXAR UPSHOT 0562B	EASY POWER 294 8-0294		****		****	****	40
16-665	EXAR UPSHOT 0562B		***	***		***	****	39
16-673	EXAR UPSHOT 0562B	SAND RANCH HAND		****		***	****	35



ABSOLUTE



PROTEGE



TOUR OF DUTY



UPSHOT

Visual Tag	Birth Date	PBI	BW	EPD BW	EPD WW	Adj WW	Adj YW	EPD YW	EPD CW	EPD REA	Scan Adj REA	EPD MARB	Scan Adj Marb	EPD DMI	Breed Desc
15-016	9/22/2015	166	79	-1.5	44	611	1161	96	42	1.05	10.4	0.54	3.41	0.62	3/4 AN 1/4 SM
15-020	10/5/2015	167	92	0.3	49	647	1080	86	42	1.13	9.7	0.44	2.77	0.65	3/4 AN 1/4 SM
15-031	9/16/2015	144	85	0.3	33	653	1070	69	33	1.27	12.8	0.47	4.38	0.64	5/8 AN 3/8 SM
15-033	7/16/2015	147	88	2.2	38	647	954	68	42	1.07	12.1	0.32	3.75	0.93	1/2 AN 1/2 SM
15-042	10/14/2015	135	82	-1.2	26	580	1004	73	20	1.09	12.4	-0.17	2.24	-0.65	1/2 AN 1/2 SM
15-043	9/5/2015	159	86	2.4	45	782	1120	79	50	1.12	12.7	0.16	2.95	0.79	1/2 AN 1/2 SM
15-045	8/7/2015	150	90	1.9	41	705	1025	73	46	1.19	13.1	0.12	2.52	0.89	1/2 AN 1/2 SM
15-047	7/22/2015	149	89	0.8	37	608	961	81	22	0.52	9.2	0.85	3.82	1.06	PB AN
15-063	9/3/2015	126	87	-1.9	30	597	1041	66	7	1.31	11.6	0.08	3.25	0.18	1/2 AN 1/2 SM
15-065	8/30/2015	126	84	-2.2	33	642	1028	63	12	1.42	12.6	0.00	2.82	0.51	5/8 AN 3/8 AN
15-067	9/4/2015	144	88	-1.1	33	666	1025	72	19	0.90	12.4	0.29	2.75	-0.27	PB AN
15-070	9/3/2015	125	86	0.5	32	656	1055	67	15	0.52	10.5	0.30	3.51	1.28	1/2 AN 1/2 SM
15-071	9/10/2015	129	90	0.9	32	668	1039	64	16	0.51	10.4	0.24	3.14	0.71	1/2 AN 1/2 SM
15-072	8/30/2015	140	85	-1.4	33	657	1047	75	19	0.93	12.7	0.32	2.89	0.17	PB AN
15-073	8/30/2015	126	78	-2.8	30	597	989	61	8	1.29	11.5	0.06	3.20	0.05	5/8 AN 3/8 SM
15-097	9/22/2015	145	85	1.7	32	651	989	67	39	0.98	10.6	0.18	2.00	0.26	1/2 AN 1/2 SM
16-502	1/21/2016	154	73	-1.1	39	650	1256	82	37	1.00	14.5	0.31	3.41	0.40	5/8 AN 3/8 SM
16-505	2/10/2016	145	84	-0.6	38	719	1196	79	38	0.58	12.3	0.13	2.53	0.65	3/4 AN 1/4 SM
16-507	1/23/2016	153	90	0.7	41	814	1373	91	47	1.41	18.4	0.03	2.25	0.83	3/4 AN 1/4 SM
16-508	1/18/2016	152	79	-0.8	30	635	1112	58	33	0.34	12.9	0.72	5.80	-0.16	3/4 AN 1/4 SM
16-510	1/10/2016	158	70	-1.6	45	665	1275	88	43	1.19	14.7	0.14	3.59	0.59	3/4 AN 1/4 SM
16-546	1/17/2016	121	80	-0.3	32	658	1204	63	16	0.44	14.5	-0.02	3.29	0.88	1/2 AN 1/2 SM
16-548	1/17/2016	124	90	0.4	32	657	1181	69	21	0.58	15.3	-0.14	2.63	0.66	3/4 AN 1/4 SM
16-551	1/15/2016	141	77	-1.1	37	684	1189	78	26	1.43	15.2	0.12	3.73	0.57	3/4 AN 1/4 SM
16-567	1/8/2016	154	81	0.6	40	721	1240	80	40	0.94	15.2	0.70	5.80	1.34	3/4 AN 1/4 SM
16-568	1/12/2016	142	79	1.3	36	710	1175	65	35	0.71	14.0	0.33	4.19	1.00	3/4 AN 1/4 SM
16-576	1/14/2016	156	89	0.7	34	654	1223	75	43	0.64	14.2	0.73	6.40	0.71	PB AN
16-591	1/27/2016	154	85	0.0	43	721	1328	85	43	0.38	14.1	0.71	5.69	1.78	7/8 AN 1/8 SM
16-592	2/5/2016	130	94	0.2	35	707	1312	71	38	0.61	14.1	0.51	5.19	2.62	3/4 AN 1/4 SM
16-607	1/20/2016	154	70	-1.0	35	687	1389	81	63	1.38	16.5	0.06	3.28	0.88	3/4 AN 1/4 SM
16-614	1/30/2016	127	85	0.7	35	701	1194	67	16	1.07	15.2	0.28	4.36	1.34	3/4 AN 1/4 SM
16-636	1/17/2016	145	85	1.7	42	679	1271	82	41	1.02	16.0	-0.22	2.58	0.83	5/8 AN 3/8 SM
16-640	1/14/2016	133	78	0.9	35	697	1139	62	36	0.76	14.0	-0.37	1.88	0.41	5/8 AN 3/8 SM
16-643	1/13/2016	158	76	1.0	46	663	1270	96	50	1.16	13.7	0.01	3.86	1.04	3/4 AN 1/4 SM
16-644	1/8/2016	148	76	-0.3	44	665	1331	97	44	0.85	13.2	-0.20	3.00	1.10	3/4 AN 1/4 SM
16-646	1/3/2016	157	76	0.6	47	632	1159	92	47	0.60	11.3	-0.21	3.11	0.52	3/4 AN 1/4 SM
16-650	1/9/2016	131	87	1.7	30	679	1098	51	23	0.34	13.1	-0.10	3.89	-0.24	5/8 AN 3/8 SM
16-652	1/18/2016	141	84	2.5	40	692	1067	70	34	0.92	13.3	-0.17	2.88	0.54	5/8 AN 3/8 SM
16-653	1/26/2016	131	82	0.7	30	625	1160	59	38	0.56	14.3	-0.29	2.63	0.26	3/4 AN 1/4 SM
16-660	1/19/2016	112	86	1.1	21	650	1379	65	18	0.95	15.8	0.13	3.49	1.23	3/4 AN 1/4 SM
16-661	1/19/2016	120	86	1.2	30	746	1318	62	29	0.96	15.9	0.07	3.21	1.56	5/8 AN 3/8 SM
16-663	1/25/2016	134	88	2.1	34	651	1163	65	29	1.03	15.6	0.37	4.23	1.36	3/4 AN 1/4 SM
16-665	1/31/2016	115	87	0.7	25	735	1233	58	21	0.77	14.9	0.27	3.83	1.52	3/4 AN 1/4 SM
16-673	1/24/2016	135	89	1.2	31	653	1172	63	14	0.86	13.2	0.53	5.30	0.56	5/8 AN 3/8 SM

